



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW SUPPLY AND MINOR USE OF AN UNREGISTERED AGVET
CHEMICAL**

**PRODUCT FOR CONTROL OF FERAL PIGEONS IN URBAN, SUBURBAN AND
INDUSTRIAL SITUATIONS**

PERMIT NUMBER – PER88906

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a Supplier (as indicated) to possess the product for the purposes of supply and to supply the product to a person who can use the product under permit. This permit also allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder, the Supplier (if not one and the same) and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 23 APRIL 2021 TO 30 APRIL 2024

Permit Holder:

ROCKETMAN DISTRIBUTORS PTY LTD 50 Hope Valley Road
NAVAL BASE WA 6165

Supplier:

ROCKETMAN DISTRIBUTORS PTY LTD 50 Hope Valley Road
NAVAL BASE WA 6165

Persons who can use the product under this permit:

Licensed pest control operators (as per State Government regulations), Government employees and Council operators responsible for vertebrate pest management who are suitably qualified and experienced in the application of agricultural chemicals

CONDITIONS OF USE

Products to be used:

OVOCONTROL P

AN UNREGISTERED PRODUCT

Containing: 0.5% NICARBAZIN as the only active constituent.

RESTRAINTS:

For outdoor use only to control pigeons as listed below in directions for use.

For use in non-food areas of manufacturing facilities, power utilities, hospitals, food processing plants, distribution centres, oil refineries and processing centres, chemical plants, rail yards, schools, campuses, military bases, seaports, hotels, apartments, maintenance yards, shopping malls, feed mills, airports and other commercial, residential or industrial locations.

DO NOT contaminate food or feed by application.

OvoControl P may only be applied to rooftops or other flat paved or concrete surfaces. Avoid surfaces where the birds cannot easily see and find the bait. Use only in secured areas with limited public access or areas under direct supervision of the applicator.

Applicators must ensure that children and pets do not come in contact with the bait.

Pre-baiting of pigeons is required to ensure pigeons are conditioned prior to baiting.

Harmful to birds. Monitor the baiting site periodically to ensure that pigeons and no other birds are converging on the feeder or hand-broadcasted bait each morning.

DO NOT apply if non-target feeding persists and/or cannot be prevented.

DO NOT apply more bait than the pigeons will eat in a single feeding, as this may result in non-target species exposure to leftover bait.

DO NOT apply in areas where the product may be consumed by vulnerable, threatened, endangered or critically endangered bird species.

Directions for Use:

Situation	Pest	Rate
Urban, suburban and industrial areas	Feral Pigeon (<i>Columba livia</i>)	500g/100 pigeons/day

Critical Use Comments:

- Apply in accordance with the label at **Attachment 1**.

Warning Statements

Should not be used in areas accessible to children.

Safety Directions

May irritate the eyes and skin. Avoid contact with the eyes and skin. Do not inhale dust. Wash hands after use.

First Aid Instructions

First aid is not generally required. If in doubt, contact a Poisons Information Centre (phone Australia 13 11 26) or a doctor.

Jurisdiction:

All States and Territories.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read

to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label at **Attachment 1**.

Supply

The supplier must supply the product in a container that complies with the requirements of section 18 of the Agricultural and Veterinary Chemicals Code Regulations. Attached to this container must be a label which is identical in content and format to the label at **Attachment 1**.

Record keeping

Maintain records of all treatments performed under this permit. Details must include the date and locations where treatments occurred, the total amount of product used, and the names and addresses of the persons undertaking the use. These details must be maintained for a minimum period of two years from the date of expiry of this permit, and must be made available to the APVMA upon request.

Issued by the Australian Pesticides and Veterinary Medicines Authority.



OvoControl® P

Ready-to-Use Bait

APVMA Permit Number: PER88906
(United States - EPA Reg No: 80224-1)

FOR USE IN REDUCING EGG HATCHABILITY IN PIGEONS

(Columbalivia, Rock Dove, Feral Pigeon) EUROPEAN STARLINGS (*Sturnus vulgaris*), RED- WINGED (*Agelaius phoeniceus*), YELLOW-HEADED (*Xanthocephalus xanthocephalus*), and BREWERS (*Euphagus cyanocephalus*) BLACKBIRDS, GREAT-TAILED (*Quiscalus mexicanus*), BOAT-TAILED (*Quiscalus major*) and COMMON (*Quiscalus quiscula*) GRACKLES and BROWN-HEADED (*Molothrus ater*), BRONZED (*Molothrus aeneus*) COWBIRDS and COMMON MYNA (*Acridothera tristis*)

ACTIVE INGREDIENTS	%
Nicarbazin	0.5%
INERT INGREDIENTS	99.5%
Total	100%

KEEP OUT OF REACH OF CHILDREN

CAUTION: If you do not understand the label, find someone to explain it to you in detail.

PRECAUTIONARY INFORMATION

Hazards to Humans and Domestic Animals:

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear: Long sleeved shirt and long pants, socks, shoes, and gloves.

FIRST AID

If in Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
	Have the product container or label with you when calling a poison control center or doctor or going for treatment
	Note to Physician: Treat symptomatically.

MANUFACTURER DETAILS

Manufactured by	Innolytics, LLC, 72377 Magnesia Falls Dr, Rancho Mirage, CA 92270
EPA Reg (US)	No: 80224-1
EPA Est. No (US)	009811-ID-001
Net Weight	30 pounds (13.61 kgs)

IMPORTER / DISTRIBUTOR DETAILS AUSTRALIA

Imported by	RocketMan Distributors Pty Ltd, Perth, WA, Australia
Distributor	Evicom Pty Ltd, Perth WA, Australia
APVMA Permit Number - Australia	PER88906
Net Weight	13.61 kgs (30 pounds)
For Technical Support and Information Call	+ 61 407 232 172

IMPORTANT!

READ THIS ENTIRE LABEL BEFORE USING THIS PRODUCT

Environmental Hazards

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high- water mark. Do not contaminate water when disposing of equipment, wash and rinse with water.

Information

'OvoControl P' is a ready-to-use bait designed for administration to feral pigeons and other pest birds listed on this label. For efficacy, 'OvoControl P' must be fed daily during the nesting period and consistently consumed by the birds. 'OvoControl P' reduces egg hatchability. Birds fed 'OvoControl P' according to label directions may continue to lay eggs, although the hatch rate will be reduced.

This product will reduce egg hatchability and adversely affect other aspects of reproduction in all avian species.

DIRECTIONS FOR USE

It is a violation of law to use this product in a manner inconsistent with its labeling.

Use Restrictions

- For outdoor use only to control pigeons and other pest birds listed on this label.
- For use in non-food areas of manufacturing facilities, power utilities, hospitals, food processing plants, distribution centers, oil refineries and processing centers, chemical plants, rail yards, schools, campuses, military bases, seaports, hotels, apartments, condominiums, maintenance yards, shopping malls, feed mills, airports, hospitals and other commercial, residential, or industrial locations.

- Do not contaminate food or feed by application.
- OvoControl P may only be applied to rooftops or other flat paved or concrete surfaces. Avoid surfaces where the birds cannot easily see and find the bait. Use only in secured areas with limited public access or areas under direct supervision of the applicator
- Applicators must ensure that children and pets do not come in contact with the bait.
- Do not apply within 6 meters of any body of water, including lakes, ponds, or rivers.
- See additional restrictions under Non-Target Species.

Application Rate and Directions - Pigeons

Depending on the climatic zone and habitat, pigeons' nest seasonally or year-round. Pigeons have a social order and baiting strategy must accommodate their behavior.

Bait must be broadcast to allow all birds opportunity to consume the bait. To ensure that the pigeons receive bait daily, OvoControl must be applied with an automatic wildlife feeder or hand broadcast. If using an automatic wildlife feeder, the feeder must be programmed to trigger once a day, shortly after dawn. For hand broadcast application, broadcast the bait in an area large enough to provide all pigeons the opportunity to consume bait.

Begin the OvoControl program by locating a suitable flat rooftop or other appropriate surface to install an automatic feeder(s) or to hand-broadcast bait. Each automatic wildlife feeder will accommodate up to 150 pigeons.

If a flat rooftop is not available, identify a suitable flat paved or concrete surface appropriate for the application of OvoControl P. Choose secured areas with limited public access. If hand broadcasting, choose areas that can be readily monitored. Do not apply bait to areas where water may accumulate or to standing water.

Begin conditioning the pigeons with cracked corn or other grains at a rate of 0.5 kg per 80 birds per day until the birds are accustomed to the daily baiting event. Conditioning is a process whereby the birds become habituated to the daily feeding routine.

Pigeons are fully conditioned to the baiting event when they return to the same site each day for feeding. Depending on site characteristics and pigeon behavior, the conditioning period can last from one to four weeks. If pigeons cannot be conditioned to consume the pre-bait within 30 days, discontinue baiting at that location.

Monitor the baiting site periodically to ensure that pigeons and no other birds or animals are converging on the feeder or hand-broadcasted bait each morning. Do not apply if non-target feeding persists and/or cannot be prevented.

Once pre-bait is consumed consistently, gradually transition the pigeons to OvoControl P. If using an automatic wildlife feeder, add OvoControl to the feeder and mix with the remaining pre-bait. Gradually increase the proportion of OvoControl over a period of two to four weeks until no pre-bait remains. If hand broadcasting, apply a mixture of OvoControl and pre-bait and gradually increase the proportion of OvoControl.

Feeding must continue DAILY through the entire breeding season, which can last all year. The daily dose (based on flock size) must be entirely consumed within 15 minutes of application. Periodically monitor the site and reconfirm pigeon numbers. The daily amount of bait applied must be

increased or decreased according to the number of pigeons at the baiting site.

Any accumulation of bait indicates that the birds are not consuming it regularly. In this event, remove uneaten bait and restart the conditioning program with pre-bait. Discontinue use at any location where the conditioning program fails repeatedly to consistently attract the flock.

Dosage Calculation:

Estimated pigeon population x 5.7 grams / per pigeon OvoControl P = Amount of OvoControl P to be applied daily. For example,

Grams of Bait	Number of pigeons
228 grams of bait	40 pigeons
456 grams of bait	80 pigeons
684 grams of bait	120 pigeons
912 grams of bait	160 pigeons

Follow the operating instructions on the automatic feeder to set the correct application rate. Confirm feeder calibration prior to baiting.

Application Rate and Directions – Starlings, Blackbirds, Grackles, Cowbirds and Mynahs

Follow all restrictions and guidelines provided in the pigeon section, above. Depending on the geography, starlings, blackbirds, grackles, cowbirds and mynahs can breed seasonally or all year. Furthermore, subject to your location, flocks of these pest birds can be resident or migratory. OvoControl should only be used in resident flocks. Application can begin in advance of the breeding season and end after all egg laying is complete. The following table is provided for guidance,

Bird Group	Recommended dose per 100 birds	Breeding Season
Starlings	228 grams of bait	Spring and Summer
Blackbirds	228 grams of bait	Spring and Summer
Grackles	284 grams of bait	Spring and Summer
Cowbirds	114 grams of bait	Spring and Summer
Mynahs	284 grams of bait	Throughout the year

Non-target Species

Do not apply more OvoControl P than the pigeons will eat in a single feeding, as this may result in non-target species' exposure to leftover bait. Do not apply in areas where the product may be consumed by listed Threatened and Endangered birds.

Do not apply if non-target feeding persists and/or cannot be prevented. It is a violation of state and federal law to intentionally feed treated bait to non-target species, including protected species.

IMPORTANT: READ BEFORE USE

Read the entire *'Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability'* before using this product. If terms are not acceptable, return the unopened bag at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS:

The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all the risks associated with the use of this product. Lack of performance, inefficacy or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Innolytics, LLC ("Innolytics"), United States and RocketMan Distributors Pty Ltd - Australia. All such risk shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES:

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, INNOLYTICS AND ROCKETMAN DISTRIBUTORS PTY LTD MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL.

No agent of Innolytics or RocketMan Distributors Pty Ltd is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, INNOLYTICS, THE MANUFACTURER, OR THE DISTRIBUTOR, ROCKETMAN DISTRIBUTORS OR SELLER, EVICOM PTY LTD, OR OTHER APPOINTED SELLERS SHALL NOT BE LIABLE WHATSOEVER FOR ANY CONSEQUENTIAL, SPECIAL, OR INCIDENTAL DAMAGES RESULTING FROM THE USE, HANDLING, APPLICATION, STORAGE OR DISPOSAL OF THIS PRODUCT OR FOR DAMAGES IN THE NATURE OF PENALTIES, AND THE BUYER AND THE USER WAIVE ANY RIGHT THAT THEY MAY HAVE TO SUCH DAMAGES.

LIMITATIONS OF LIABILITY:

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT INNOLYTICS' AND ROCKETMAN'S ELECTION, THE REPLACEMENT OF THE PRODUCT.

STORAGE AND DISPOSAL	
Do not contaminate water, food or feed by storage and disposal	
Pesticide Storage	Store at or below room temperature. Store bait in a DRY location, free of other pests.
Pesticide Disposal	Wastes resulting from the use of this product must be disposed of at an approved waste disposal facility.
Container Disposal If empty:	Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. Keep unused bait dry.